

Technical Data Systems for drawn arc



Visar 1200



- All-rounder for workshops and construction sites whether with shielding gas or with ceramic ferrule
- Compact lightweight unit with power: 1200 A but just 20.5 kg
- Extremely wide current setting range from 25 to 1200 A
- USB port for saving and loading welding programs
- Comprehensive customer-specific setting options as well as detailed process optimisation and

M3 to M16









	200				
Welding process	ARC, SC				
Welding material	• •				
Technology	Inverter				
Equipment					
Welding with ceramic ferrule	X				
Welding with shielding gas	X				
Process control	X				
Display	Digital				
Welding range	M3 to M16, dia. 2 to 16 mm / #4 to 5/8" , dia. 14 ga to 9/16"				
Welding rate	25 °C	100 %	50 %	35 %	
(Duty cycle *)	F [studs/min]	11	16	21	
	t [ms]	600	600	600	
	I ₂ [A]	1200	1200	1200	
	Ū, [V]	30	30	30	
	* The term "duty cycle" refers to the ratio of welding duration to work pause of a stud welding unit. It describes the uninterrupted operating time of a unit over a period of 10 minutes. The largest possible studs are used in the test. 100 % duty cycle = 10 min. of continuous welding, no shutdown due to overtemperature. 50 % duty cycle = 5 min. of welding followed by 5 min. pause. 35 % duty cycle = 3.5 min. of welding followed by 6.5 min. pause.				
Welding current	1200 A (max.) at 50 V				
Current adjustment range	25 to 1200 A (stepless)				
Welding time	5 to 1500 ms (stepless)				
Primary power	200 to 600 V, 3 phases, 50/60 Hz				
Cooling type	F (temperature controlled cooling fan)				
IP Code	IP 43				
Dimension LxWxH	472.5 x 355 x 358 mm / 18.60" x 13.98" x 14.09"				
(without handle)					
Weight	20.5 kg / 45 lbs				
Suitable guns	A 12, A 12-FL, A 16				

Order No.

93-60-0120 (Europe + China) (expected to be available from 01/2020) 93-66-0120 (USA, Canada + China) (expected to be available from 01/2020)

93-40-020 (Ground cable, 5 m, 25 mm², 2x 10" vice grip)



88-24-466 (Toolbag)

(Accessories and welding gun are not included)

Legend

Welding process: ARC = Drawn arc stud welding, SC = Short cycle stud welding









